

# Security Cable

#CCTV #Data&Comms #Composite

For applications requiring metric rather than AWG conductors, our own Garland range, is well known in the industry. The 4 and 6 core cables available in either 7/0.2mm or 14/0.2mm can be used for connecting security sensors and monitors whilst the range of speaker cables in 14/0.2mm or 24/0.2mm can be used to wire bells and sirens.



[www.madisonexpress.com.au](http://www.madisonexpress.com.au)



FACEBOOK



INSTAGRAM

## RJAN WEBSITE PORTAL

*Do you want the ability to...*

CHECK STOCKED ITEMS 

LOOK UP PRICING 

DOWNLOAD DATASHEETS 

*Contact us to set up a...*

**BRANCH LOG-IN**

|      |                              |      |               |      |     |      |     |
|------|------------------------------|------|---------------|------|-----|------|-----|
| J1   | COLIN O'BRIEN                | RD07 | TODD HUGHES   | RD14 | TBA | RD21 | TBA |
| J2   | B&R ENCLOSURES               | RD08 | JULIAN NISBET | RD15 | TBA | RD22 | TBA |
| J3   | CABLEDUST SYSTEM             | RD09 | KIAH OCKERBY  | RD16 | TBA | RD23 | TBA |
| J4   | EZYSTRUT                     | RD10 | JULIAN NISBET | RD17 | TBA | RD24 | TBA |
| RD04 | MANDY MOFFITT                | RD11 | JULIAN NISBET | RD18 | TBA | RD25 | TBA |
| RD05 | MANDY MOFFITT                | RD12 | TBA           | RD19 | TBA | RD26 | TBA |
| RD06 | TODD HUGHES<br>MANDY MOFFITT | RD13 | TBA           | RD20 | TBA | WIN  | TBA |













